



VOLVO FM440 8×4 P18000 SERVICE TRUCK | ST100

PRODUCT SUMMARY

Plantman P18000 Service Module

- Heavy duty chassis mounted steel, compartment service module:

TANK #	TANK TYPE	TANK CAPACITY
No 1	Bulk, Auto Retract Reel, Wiggins Gun & L/V Spring retractable reel, hose and auto shut off hand piece	18,000 litre
No 2	New Oil – Spring Retractable reel, hose, hand piece, ground level and top fill	1,500 litre

TANK #	TANK TYPE	TANK CAPACITY
No 3	New Oil – Spring Retractable reel, hose, hand piece, ground level and top fill	600 litre
No 4	New Oil – Spring Retractable reel, hose, hand piece, ground level and top fill	600 litre
No 5	New Oil – Spring Retractable reel, hose, hand piece, ground level and top fill	600 litre
No 6	Water or Coolant – Spring retractable reel, hose, hand piece, ground level & top fill	500 litre
No 7	Waste – Spring retractable reel, hose, hand piece, four way valve for EVAC	1,500 litre
No 8	Oil – PTO tank for compressor	250 litre

- HP & Bulk Grease, Pumps (2), Spring Retractable Reels (2) – 400kg

SPECIFICATIONS:

- Volvo FM440 8 x 4 Cab Chassis
- Automatic Transmission
- ROPS
- Canvas Seat Covers
- Side & Rear Windows Tinted
- Spare Wheel Assembly
- Jack, Brace, Wheel Nut Indicators & Wheel Chocks
- 2 x 9kg Fire Extinguishers
- E-Stop in cabin & Front of Module
- Reverse Camera High
- Mount Flag
- Rotating Amber Beacon
- Lockable Battery Isolator
- Lockable Starter Isolator
- Jump Start Receptacle
- Rear Facing LED High & Low Mount Lights
- Reverse Beeper
- UHF Radio
- Headlights on with Ignition
- Ancillary Lighting
- Rear Tray with walk in steps

- Ladder access to roof from ground level
- Fold down handrails
- Truck is not road Licensed

BOSS 90CFM COMPRESSOR PTO DRIVEN 90CFM COMPRESSOR

- Receiver drier 1000kpa delivery pressure maximum
- Oil separator
- Cooling via air to oil front mounted cooler
- Over temperature and load protection system
- External ground level control system

PRODUCT SPECIFICATIONS

AXLES	8x4
CAPACITY	18000L
MAKE	VOLVO
TYPE	Service Truck